





Ancora OB 37
Ø 12mm
L=0,92m



EXTRAS DE ARMATURA
PENTRU O DALA

MARCA	Ø	L(m)	Nr.bare		PC 52			OB 37
				M 6	M 8	M 14	M 12	
1	14	4,15	16			66,4		
2	8	2,16	27		58,32			
3	6	2,21	10	22,1				
4	6	2,41	8	19,28				
5	6	1,52	14	21,28				
6	12	0,92	4				3,68	
Lungimi pe Ø (m)				62,66	58,32	66,4	3,68	
Masa per ml (kg/m)				0,222	0,395	1,21	0,888	
Masa per Ø (kg)				13,91	23,036	80,344	3,268	
Masa totala (kg)				120,56				

Beton C25/30 (mc)	Otel beton (kg)	Cofraj (mp)	Greutate t
1,200	120,56	7,0	3,120

NOTA:

- Se va folosi beton clasa C 25/30.
- P 52 si OB 37 se va acoperi cu beton 5cm.

TATI
SC TRANS AR TRUST INSTALATII SA

J02 / 874 / 2012 C.I.F. RO 30519523

SPECIFICATIE	NUME	SEMNATURA
Proiectat	D. Rusu	
Desenat	D. Vasiescu	
Verificat	D. Rusu	
Aprobat	R. Rusu	

OPERATOR S.N.T.: S.N.T.G.N. TRANSGAZ S.A. MEDIAS
DENUMIRE PROIECT:
PROTEJARE CONDUCTE DE TRANSPORT GAZE NATURALE, EXISTENTE DN 500
CRACIUNEL - ORASTIE (VEST 1) si DN 500 CRACIUNEL - BACIA (VEST 2) LA
INTERSECTIA CU DRUM DE ACCES, LOC. ALBA IULIA, JUD. ALBA

Proiect nr.
TATI 83
2024

Plansa nr.
TA 83 - 4.0

SCARA:
1: 50

DATA:
2024

A3

DALA PREFABRICATA 4m
PLAN ARMARE